

ABS Quality Evaluations

Certificate Of Conformance

This is to certify that the Quality Management System of:

Occidental Chemical Chile Ltda.

Oficina Principal

Bucarest 150, Of.1601, Providencia

Santiago

Chile

(WITH ADDITIONAL FACILITIES LISTED ON ATTACHED ANNEX)

has been assessed by ABS Quality Evaluations, Inc. and found to be in conformance with the requirements set forth by:

ISO 9001:2015

The Quality Management System is applicable to:

**MANUFACTURE AND SALES OF CHLORINE, CAUSTIC SODA, HYDROCHLORIC ACID, SODIUM HYPOCHLORITE,
FERRIC CHLORIDE AND CALCIUM CHLORIDE
FABRICACION Y VENTAS DE CLORO, SODA CAUSTICA, ACIDO CLORHIDRICO, HIPOCLORITO DE SODIO,
CLORURO FERRICO Y CLORURO DE CALCIO**

This certificate may be found on the ABS QE Website (www.abs-qe.com). For certificates issued in the People's Republic of China information may also be verified on the CNCA website (www.cnca.gov.cn).

Certificate No:	34461
Last Expiry Date:	15 November 2016
Original Approval Date:	23 December 1998
Certification Date:	09 December 2016
Effective Date:	30 September 2022
Expiration Date:	15 November 2025
Revision Date:	03 October 2022

Dominic Townsend, President

ABS Quality Evaluations

Oficina Principal

Bucarest 150, Of. 1601, Providencia

Facility:

Santiago

Chile

Gestión SGC, Ventas, RRHH

Activity:

Planta Talcahuano

Av. Rocoto n° 2625

Facility:

Talcahuano

Chile

Fabricación y Compras

Activity:

